

EXPERIENCE the ON of YOUR OWN luxury WETROOM

Enjoy a powerful shower in spacious surroundings that are warm underfoot.



The added luxury of underfloor heating









luxury WETROOM

You can fit a wetroom anywhere in the home, upstairs, downstairs, in a cellar or the attic.

Even the smallest bathrooms can be converted into a luxury wetroom. In the typical example shown below the bath can be removed and a wetroom installed with a single glass panel to create a luxurious walk-in shower.









BY FAR Best

WETROOM system


Impey are the UK's leading authority on wetroom systems with over 250,000 installations nationwide. We were the pioneers of wetroom floor formers and our Aqua-Dec range of products is still by far the best.

This unbeatable quality and reliability is achieved by using only the most advanced materials and technology.

Our new Aqua-Dec EasyFit has a computer designed cellular structure, which is compression moulded from high glass content SMC to provide the strongest most rigid construction on the market.

It requires no under boarding and will support over 300kg (47 stone) when fixed directly to standard floor joists.

We are so confident in the long lasting performance of all Impey products that we offer a lifetime guarantee.



Tests have shown that the Impey Aqua-Dec EasyFit will easily support over 300kg (47 stone) without the need for under boarding



For full details see page 31





Impey glass wetroom panels are all made from the finest toughened safety glass treated with Aqua-Shield, a microscopically thin coating applied to the inside of the glass.

Aqua-Shield

This unique treatment creates an incredibly smooth surface that prevents build-up of limescale and grime, which makes cleaning both easier and less frequently required – between 50% and 70% less often.

Aqua-Shield is crystal clear and will never peel or flake. When applied the molecules of the coating and the glass bond together to create a protective layer 80,000 times thinner than a human hair.

This same revolutionary surface treatment is used to provide dirt and stain resistance for an extensive range of applications, including airport control towers, marine glass and the windscreens of top sports cars.





GLASS FIXING ODD for SINGLE or MULTIPLE PANELS

Impey wetroom panels are available in plain glass, satin glass or modesty panel glass with a choice of three distinctive chrome fixing systems. Corner installations can be left or right hand. With Aqua-Screen Light and Aqua-Screen Pure you also have the additional option of curved plain glass.



Aqua-Screen Clear



Aqua-Screen Pure



Aqua-Screen Pure Curved



Aqua-Screen Light Curved



Aqua-Screen Light



Aqua-Screen Light with modesty panel glass



Have everything you need for your shower within easy reach.

Choose from our complete range of the highest quality chrome plated, solid brass accessories to keep all your bottles, soaps and sponges close to hand.

Put your feet up on our handy foot rest, which makes washing your feet and lower legs much easier, plus there is a choice of hand rails, to offer additional support, and a wall mounted squeegee that provides the perfect, quick and easy clean finish for your shower area.

For full details please see pages 30-31.













No other wetroom floor installation is quicker or easier to fit. An Impey Wetroom can be installed in 4 simple stages.

1. The Aqua-Dec EasyFit floor former

The Aqua-Dec EasyFit is designed to provide the gradient required in the showering area for drainage. What makes them so special is their extreme strength and rigidity, whilst only being 22mm thick at the outer rim. This low profile is specially engineered to be the same depth as standard floorboards. You simply remove the floorboards and fix it

directly to the floor joists.

The Aqua-Dec EasyFit is available in a wide range of sizes to create

whatever shower area you wish.

3. Underfloor heating

This is not essential, but for little extra cost you gain a whole lot more. The Aqua-Mat® underfloor heating system is simple to fit and very low wattage, making it both very economical to install and use. It provides a

4. Tiling and wetroom glass panels

wonderful warm feeling as you enter the room barefoot and quickly dries the tiles as you leave the shower.



2. Waterproofing

Impey waterproofing membranes allow the entire floor area to be made completely watertight as quickly and efficiently as possible. Unlike many other systems, which can require extensive drying time, Impey waterproofing membranes can be tiled as soon as they have


been fitted, saving both installation time

and cost.

tiled and the shower fitted, all that remains for the shower area is to install the glass panel or panels. Impey offer a complete range of sizes with a variety of stylish chrome fixing options shown on pages 12-13.

After the wetroom has been






Stage 1 The Aqua-Dec EasyFit floor formerAfter marking the position of the
Aqua-Dec EasyFit floor former, you then
cut and remove the floor boards.




The Aqua-Dec EasyFit is then placed in the recess to determine where the waste needs to be fitted. The Aqua-Dec EasyFit, has unique drain features* that allows it to be rotated to avoid any joists that could obstruct the waste.


* Patent No. GB2431341




Once the waste is fitted the Aqua-Dec EasyFit can be screwed directly to the floor joists.



Stage 2 Waterguard® WaterproofingFirst, the entire floor (excluding Aqua-Dec EasyFit) and 75mm up the wall is painted with the primer. **DO NOT PRIME THE DEC**




Corners are then sealed with the preformed Waterguard® corner pieces. Jointing Tape is then laid in 1m parallel strips.



The Waterguard® membrane is then rolled out to cover the Aqua-Dec and THE ENTIRE FLOOR.



Sealant is then applied to all the corners.



Stage 3 Optional underfloor heating Aqua-Mat® underfloor heating comes on a roll of webbed backing that can be laid over the entire floor. This can then be connected to a wall mounted thermostat.



Stage 4 Tiling and wetroom glass panels For the shower area, larger tiles like these above will need to be cut diagonally to follow the gradient in the Aqua-Dec EasyFit. Alternatively, you can use mosaic or small tiles (max. size 50mm square), which will naturally follow the gradient.



Planning your shower area

The following pages contain all the information you need to plan and cost your shower area, but if you would like any further advice or information please contact Impey Sales:

01460 256 080

Wetroom installation guide

Step 1 – Floor former and drainage options

Once you have decided on the size and position of your showering area you need to choose the appropriate size of Aqua-Dec EasyFit floor former (pages 19-20).

Step 2 – Waterproofing

Impey membranes have been designed to provide a complete, guaranteed watertight barrier to your wetroom (page 22).

Step 3 – Underfloor heating

This helps dry the tiles and provides a luxurious warm floor. It is installed on top of the waterproof membrane, underneath the tiles, avoiding floor mounted fixtures (page 23).

Step 4 – Wetroom panels and enclosures

Wetroom panels allow you to create a partially screened walk-in shower area (pages 24-29).

Step 5 – Accessories

Pick from a range of high quality accessories (pages 30-31).

Step 1 Wetroom floor formers

Aqua-Dec **EasyFit** Flowrate 28-34 litres per minute depending on the room layout and the size of Aqua-Dec EasyFit

The new Aqua-Dec EasyFit is a revolutionary new design


- No under boarding required † tested to 300kg (47 Stone)
- Lighter, yet stronger over 20% lighter than our previous Aqua-Dec yet even stronger
- Making installation even easier the location of joists within timber floors no longer presents a problem, because the Aqua-Dec EasyFit includes a revolutionary drainage feature that allows the installer to rotate the drainage point through 360° to any position in order to avoid the joist
- Easy to cut and drill If you need to trim or cut to avoid an obstruction it can be cut with a universal hand saw and drilled to provide additional screw fixing holes

All Aqua-Decs EasyFits are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials. Supplied with a UTT01/H Tiled Floor Gully Horizontal Outlet as standard, for alternative drainage see page 20






Simply place the new Aqua-Dec EasyFit where it will be installed and if the drain aperture interferes with a joist, just rotate the centre section until it is clear and fit the trap





Adjustable (370 to 530) Adjustable (370 to 530) Size: 900 x 900 Code: ADE9090GRY

-1000-Adjustable (420 to 580) (420 to 580) 000 Adjustable Size: 1000 x 1000 Code: ADE1010GRY Price: £422.16 Exc. VAT £506.59 Inc. VAT*



1200 Adjustable (520 to 680) Adjustable (370 to 530) 900





1400 -Adjustable (620 to 780) Adjustable (370 to 530) 006 Size: 1400 x 900 Code: ADF1490GRY


Size: 1200 x 900 Code: ADE1290GRY Price: £438.15 Exc. VAT £525.78 Inc. VAT*


Size: 1200 x 1200 Code: ADE1212GRY Price: £493.08 Exc. VAT £591.70 Inc. VAT*

Price: £392.31 Exc. VAT £470.77 Inc. VAT*

-1200 -

Price: £452.81 Exc. VAT. £543.37 Inc. VAT*





Adjustable (295 to 455) 750


1700

Adjustable (770 to 930)

Size: 1500 x 1200 Code: ADE1512GRY Price: £546.89 Exc. VAT. £656.27 Inc. VAT

Size: 1700 x 750 Code: ADE1775GRY Price: £546.89 Exc. VAT £656.27 Inc. VAT*






Size: 1850 x 900 Code: ADE18590GRY Price: £546.92 Exc. VAT £656.30 Inc. VAT



Drainage for Aqua-Dec **EasyFit**

These have a height adjustable stainless steel top, suitable for floor tiles 6mm-26mm deep.


All Aqua-Dec EasyFit and floor formers are supplied as standard with the UTT01/H tiled floor gully with a horizontal outlet – a high quality water trap featuring a 50mm water seal, flexible 43mm outlet.





Alternative Drainage options for tiled or vinyl floors

The alternative drainage options shown below are available at no extra cost. Please specify when ordering.



Aqua-Dec Linear


Flowrate 40-50 litres per minute depending on the room layout and the size of Aqua-Dec

The Aqua-Dec Linear is an alternative to the Aqua-Dec EasyFit that offers a stylish 40mm wide stainless steel linear drain to allow a higher flow rate, which may be required for the most powerful showers with body jets.


All Aqua-Decs are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

NB: Trimming the edges of the Aqua-Dec Linear is NOT possible and the Aqua-Dec LinearFlo drain requires a minimum 95mm clearance below the Aqua-Dec.

Vertical waste available upon request.




Size: 1000 x 1000mm Max Shower Area: 1000 x 1000mm Code: AD4L1010 Price: £581.95 Exc. VAT £698.34 Inc. VAT*



Size: 1200 x 900mm Max Shower Area: 1200 x 900mm Code: AD4L1290 Price: £602.55 Exc. VAT £723.06 Inc. VAT*





Size: 1200 x 1200mm Max Shower Area: 1200 x 1200mm Code: AD4L1212

Price: £628.30 Exc. VAT £753.96 Inc. VAT*



To download an installation guide please visit our website

www.impeyshowers.com/technical

Aqua-Dec Linear 2


Flowrate 35-42 litres per minute depending on the room layout and the size of Aqua-Dec

The Aqua-Dec Linear 2 has been specifically designed to make tiling easier. Unlike the Aqua-Dec Linear, which has four gradients, the Linear 2 models have only two gradients, which mean you don't have to mitre the tiles in the corners. Stainless steel inserts are supplied to finish the tile edges, but it is important to ensure that these edges are either flush to a wall, or covered with a wetroom glass panel.


All Aqua-Decs are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

NB: Trimming the edges of the Aqua-Dec Linear is NOT possible and the Aqua-Dec LinearFlo drain requires a minimum 95mm clearance below the Aqua-Dec.

Vertical waste available upon request.




Size: 900 x 900mm Max Shower Area: 900 x 900mm Code: AD2L9090 Price: £581.95 Exc. VAT £698.34 Inc. VAT*



Size: 1000 x 1000mm Max Shower Area: 1000 x 1000mm Code: AD2L1010

Price: £602.55 Exc. VAT £723.06 Inc. VAT*





Size: 1200 x 900mm Max Shower Area: 1200 x 900mm Code: AD2L1290 Price: £612.85 Exc. VAT £735.42 Inc. VAT*

To download an installation guide please visit our website

www.impeyshowers.com/technical

Step 2 Waterproofing

NEW - introducing Impey Waterguard



WaterGuard®

- Co-Polymer membrane with a butyl rubber backing creates a completely watertight barrier
- Polypropylene surface provides a key for the tile adhesive
- Can be used with epoxy grout and solvent based sealers for stone tiles
- **Pre-made corners** for faster and easier installation
- Self adhesive and supplied on a roll for easy application
- No curing time to enable faster installation
- **Decoupling** properties 5mm
- Fully compatible with 150W/m2 under floor heating systems

WaterGuard® Kits

Kit Contents	Product Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
5m² of Impey WaterGuard® membrane	WG5	£247.62	£297.15
500ml BAL primer			
15m jointing tape			
4 x internal corners			
1 x external corners			
Butyl sealant			
10m² of Impey WaterGuard® membrane	WG10	£334.46	£401.35
500ml BAL primer			
20m jointing tape			
4 x internal corners			
1 x external corners			
Butyl sealant			
Additional components			
if required			
10m Jointing tape	WGJT10	£51.17	£61.40
Internal corner	WGIPC	£9.43	£11.32
External corner	WGEPC	£9.43	£11.32

^{*}VAT at 20%, correct at time of going to press.

We advise that waterproofing membrane is applied to the entire floor area to guarantee a completely watertight finish.

Unlike many other systems, Tilesafe® and WaterGuard® can be tiled as soon as they have been fitted, saving both installation time and cost.

Tilesafe®

- Rubber modified bitumen membrane creates a completely watertight barrier
- Woven glass fibre mesh provides a key for the tile adhesive
- Self adhesive and supplied on a roll for easy application
- No curing time to enable faster installation

Tilesafe® Kits

	Product	Retail Price	Retail Price
Kit Contents	Code	Exc. VAT	Inc. VAT*
5m² of Impey Tilesafe® membrane	TS/2	£309.62	£371.54
500ml Impey Tilesafe® primer			
10m jointing tape			
Jointing compound and putty			
10m² of Impey Tilesafe® membrane	TS/1	£418.40	£502.08
1 ltr Impey Tilesafe® primer			
15m jointing tape			
Jointing compound and putty			

Note: Because Impey Tilesafe® is a bitumen-based product it is only suitable for use with the Aqua-Mat® 100W undertile heating system.

Other systems may run at higher temperatures and compromise the integrity of the Tilesafe® tanking system.

Step 3 Underfloor heating

The added luxury of a warm wetroom floor

Impey underfloor heating is designed to gently warm the tiles from below, allowing them and the grout lines to dry more quickly, whilst providing a luxurious warm feeling to the tiled floor. It is very economical to run, with an output of only 100W per m². The Aqua-Mat® thermostat comes with a 2 year guarantee and the Aqua-Mat® heating mat comes with a 12 year guarantee.


Aqua-Mat®	100W	Size	Options
-----------	------	------	----------------

Area to be Warmed m ²	Heating Load Watts	Product Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
1.0	100	AM1.0/V2	£88.14	£105.76
1.5	150	AM1.5/V2	£100.75	£120.91
2.0	200	AM2.0/V2	£117.24	£140.69
2.5	250	AM2.5/V2	£138.08	£165.70
3.0	300	AM3.0/V2	£154.54	£185.45
3.5	350	AM3.5/V2	£172.81	£207.38
4.0	400	AM4.0/V2	£190.22	£228.26
5.0	500	AM5.0/V2	£215.32	£258.39
6.0	600	AM6.0/V2	£246.07	£295.28
7.0	700	AM7.0/V2	£275.17	£330.21
8.0	800	AM8.0/V2	£301.02	£361.22
9.0	900	AM9.0/V2	£316.56	£379.87
10.0	1000	AM10.0/V2	£327.14	£392.57
12.0	1200	AM12.0/V2	£406.44	£487.73

Impey Electric Thermostat / Timer

AMSTATWHITE/V2	,	£88.70	£106.44
AMSTATSILVER/V2		£100.80	£120.95







Step 4 Wetroom panels

Panels are made from toughened safety glass and are available in single or multiple panel combinations. Corner situations can be left or right hand.



Aqua-Screen Pure with 8mm toughened safety glass.






For full details see page 10

PANEL COMBINATIONS


Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Two panels




- Depth: 1200 max.
- B,C Panel size options: 700, 800, 900, 1000, 1200
- Entrance: 500 min.

Single panel with return panel



- Depth: 1200 max, 750 min.
- Panel size options: 700, 800, 900, 1000, 1200
- Panel size: 200

Walk through



- Depth: 1200 max, 750 min.
- Panel size options: 1000, 1200

Single panel



- Depth: 1200 max, 750 min.
- Panel size options: 700, 800, 900, 1000, 1200

Single panel with angled tie bar



Single panels can also be held in place by shortening the support tube and fixing the bracket at an angle

Walk through with return panels



- Depth: 1200 max, 750 min.
- Panel size options: 1000, 1200

Plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPS 70 CUC	£347.00	£416.40
800mm	ISPS 80 CUC	£347.00	£416.40
900mm	ISPS 90 CUC	£368.27	£441.92
1000mm	ISPS 10 CUC	£379.87	£455.85
1200mm	ISPS 12 CUC	£427.73	£513.27
Return Panel†			
200mm	ISPS 02 CUC	£116.61	£139.93

Satin glass or modesty panel glass

Size Panel Pack†	Satin Glass Code	Modesty Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPS 70 SUC	ISPS 70 SM1C	£376.50	£451.80
800mm	ISPS 80 SUC	ISPS 80 SM1C	£376.50	£451.80
900mm	ISPS 90 SUC	ISPS 90 SM1C	£399.58	£479.49
1000mm	ISPS 10 SUC	ISPS 10 SM1C	£412.16	£494.60
1200mm	ISPS 12 SUC	ISPS 12 SM1C	£464.09	£556.90
Return Panel†				
200mm	ISPS 02 SUC	ISPS 02 SM1C	£126.51	£151.82

Bespoke plain glass cut to size available to order

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
250 - 900mm	PURE/SP1	£491.29	£589.55
901 - 1200mm	PURE/SP2	£554.08	£664.89

Maximum glass height 2000mm. Allow 4-5 weeks for delivery. Bespoke glass cannot be returned.

Walk through options require an additional tie bar Code: ISPST Price: £78.35 Exc. VAT £94.02 Inc. VAT*

90° Corner Joints and Chrome Feet are only available to purchase with a Wetroom Glass Panel:


90° Corner Joints Code: ISPC NR 90C Price: £34.60 Exc. VAT £41.52 Inc. VAT* Chrome Foot (please see below)

Aqua-Screen Pure Curved with 5mm toughened safety glass.



PANEL COMBINATIONS

Front panel in an alcove



Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Front panel† Plain Glass **Retail Price** Retail Price Code Exc. VAT Inc. VAT* Front panel ISPS WA CUC £443.26



Square Chrome Foot for Return and Curved Panels

You will require a floor foot to support the end of a return or a curved panel. Floor feet are supplied with return panel packs. When used with a curved panel, it will be slightly raised off the floor due to the gradient of the Aqua-Dec. Chrome feet are only available to purchase with a wetroom glass panel. Code: ISPFQC Price: £50.37 Exc. VAT £60.44 Inc. VAT*

Aqua-Screen Light with 8mm toughened safety glass.







For full details see page 31

For full details see page 10

A CHOICE OF CHROME FIXINGS

The glass panels can be wall or ceiling fixed. Panels are also available with a shorter, more discrete angled tie bar.




Alternative ceiling fixing (Supplied as standard in straight tie bar pack max. ceiling height: 2900)

Angled tie bar fixing

PANEL COMBINATIONS

Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Two panels




- A Depth: 1200 max. B,C Panel size options: 700, 800, 900, 1000, 1200
- D Entrance: 500 min.

Single panel



- A Depth: 1200 max, 750 min.
- B Panel size options: 700, 800, 900, 1000, 1200

Single panel with return panel




- A Depth: 1200 max, 750 min.B Panel size options:
- B Panel size options: 800, 900, 1000, 1200C Panel size: 200

Single panel with angled tie bar




- A Depth: 1200 max, 750 min.
- B Panel size options: 700, 800, 900, 1000, 1200

Walk through



- A Depth: 1200 max, 750 min.
- B Panel size options: 1000, 1200

Walk through with return panels



- A Depth: 1200 max, 750 min.
- B Panel size options: 1000, 1200
- C Panel size: 200

Straight tie bar/ceiling fitting with plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70 CUC	£438.11	£525.73
800mm	ISPT 80 CUC	£458.88	£550.65
900mm	ISPT 90 CUC	£504.99	£605.99
1000mm	ISPT 10 CUC	£528.05	£633.66
1200mm	ISPT 12 CUC	£614.53	£737.43
Return Panel†			
200mm	ISPT 02 CUC	£122.21	£146.65

Straight tie bar/ceiling fitting with satin glass or modesty panel glass

Size Panel Pack†	Satin Glass Code	Modesty Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70 SUC	ISPT 70 SM1C	£476.16	£571.39
800mm	ISPT 80 SUC	ISPT 80 SM1C	£498.07	£597.68
900mm	ISPT 90 SUC	ISPT 90 SM1C	£547.64	£657.17
1000mm	ISPT 10 SUC	ISPT 10 SM1C	£573.01	£687.61
1200mm	ISPT 12 SUC	ISPT 12 SM1C	£666.02	£799.22
Return Panel†				
200mm	ISPT 02 SUC	ISPT 02 SM1C	£156.80	£188.16

Angled tie bar with plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
· · · · · · · · · · · · · · · · · · ·			
700mm	ISPT 70B CUC	£428.89	£514.67
800mm	ISPT 80B CUC	£449.65	£539.58
900mm	ISPT 90B CUC	£495.77	£594.92
1000mm	ISPT 10B CUC	£518.82	£622.59
1200mm	ISPT 12B CUC	£604.46	£725.35

Angled tie bar with satin glass or modesty panel glass

Size Panel Pack†	Satin Glass Code	Modesty Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70B SUC	ISPT 70B SM1C	£466.94	£560.33
800mm	ISPT 80B SUC	ISPT 80B SM1C	£488.85	£586.62
900mm	ISPT 90B SUC	ISPT 90B SM1C	£538.42	£646.11
1000mm	ISPT 10B SUC	ISPT 10B SM1C	£563.78	£676.54
1200mm	ISPT 12B SUC	ISPT 12B SM1C	£655.95	£787.13

Bespoke plain glass cut to size available to order

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
250 - 900mm	LIGHT/SP1	£582.06	£698.48
901 - 1200mm	LIGHT/SP2	£670.49	£804.59

Maximum glass height 2000mm. Allow 4-5 weeks for delivery. Bespoke glass cannot be returned.

Walk through options require an additional tie bar Code: ISPTT $\,$ Price: £107.46 Exc. VAT $\,$ £128.95 $\,$ Inc. VAT* $\,$

 90° Corner Joints and Chrome Feet are only available to purchase with a Wetroom Glass Panel:

90° Corner Joints Code: ISPC NR 90C $\,$ Price: £34.60 $\,$ Exc. VAT $\,$ £41.52 Inc. VAT* Chrome Foot (please see page 28)

Aqua-Screen Light Curved with 5mm toughened safety glass.










PANEL COMBINATIONS

Front and side panels



Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Front and side panel†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
Front panel	IPWA 15 CUP	£443.26	£531.91
Side panel	IPWS 15 CUP	£391.77	£470.12



Round Chrome Foot for Return and Curved Panels

You will require a floor foot to support the end of a return or a curved panel. Floor feet are supplied with return panel packs.

When used with a curved panel, it will be slightly raised off the floor due to the gradient of the Aqua-Dec. Chrome feet are only available to purchase with a wetroom glass panel.

Code: ISPFRC Price: £58.21 Exc. VAT £69.85 Inc. VAT*



Acrylic Floor Seal



Polished Chrome Trim

A CHOICE OF ACRYLIC FLOOR SEAL OR POLISHED CHROME TRIM

Impey wetroom panels can be simply silicone sealed direct to the tiled floor, but for the neatest possible finish we also offer two alternative options – a discrete acrylic floor seal, or a stylish polished chrome trim.

1200mm Lengths	Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
Acrylic Floor Seal	ISPSL 12	£13.43	£16.12
Polished Chrome Trim	ISPTM 12C	£33.58	£40.29



$Aqua-Screen\ Clear\ {\it with\ 8mm\ toughened\ safety\ glass}.$






For full details see page 10



PANEL COMBINATIONS

Height: 2000mm to top of glass. Can be left or right hand.



Walk through options require an additional pole Code: IASCT2000 Price: £258.56 Exc. VAT £310.28 Inc. VAT*

Plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	IASC 70 CUC	£565.01	£678.01
800mm	IASC 80 CUC	£638.57	£766.28
900mm	IASC 90 CUC	£655.63	£786.75
1000mm	IASC 10 CUC	£702.53	£843.04
1200mm	IASC 12 CUC	£745.17	£894.21

Satin glass or modesty panel glass

0				
Size Panel Pack†	Satin Glass Code	Modesty Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	IASC 70 SUC	IASC 70 SM1C	£613.04	£735.64
800mm	IASC 80 SUC	IASC 80 SM1C	£646.50	£775.80
900mm	IASC 90 SUC	IASC 90 SM1C	£711.35	£853.62
1000mm	IASC 10 SUC	IASC 10 SM1C	£762.25	£914.70
1200mm	IASC 12 SUC	IASC 12 SM1C	£808.51	£970.21

Step 5 Accessories

Have everything you need for your shower within easy reach.



Curved Hand Rail

 Length:
 355mm
 Code:
 CSGR355
 Price:
 £52.24
 Exc. VAT
 £62.69
 Inc. VAT

 Length:
 480mm
 Code:
 CSGR480
 Price:
 £62.90
 Exc. VAT
 £75.48
 Inc. VAT

 Length:
 620mm
 Code:
 CSGR620
 Price:
 £69.30
 Exc. VAT
 £83.16
 Inc. VAT



Straight Hand Rail

 Length:
 355mm
 Code:
 SSGR355
 Price:
 £46.91
 Exc. VAT
 £56.29
 Inc. VAT

 Length:
 480mm
 Code:
 SSGR480
 Price:
 £57.57
 Exc. VAT
 £69.08
 Inc. VAT

 Length:
 620mm
 Code:
 SSGR620
 Price:
 £62.90
 Exc. VAT
 £75.48
 Inc. VAT




Shower Gel/Robe Hook

Size: 35 x 28mm Code: ASA105 Price: £22.84 Exc. VAT £27.40 Inc. VAT*



Shower Squeegee

Width: 270mm Code: ASA101 Price: £28.88 Exc. VAT £34.66 Inc. VAT*



Hanging Double Basket

Size: 265 x 135 x 610mm Code: IG253-000 Price: £137.00 Exc. VAT £164.40 Inc. VAT*



Foot Rest


Width: 335mm Code: ASA103 Price: £56.00 Exc. VAT £67.20 Inc. VAT*



Double Corner Basket

Size: 276 x 217 x 295mm **Code:** IG183-697 **Price:** £116.00 Exc. VAT £139.20 Inc. VAT*






Sponge and Soap Holder

Size: 265 x 125 x 50mm Code: IG150-697 Price: £46.00 Exc. VAT £55.20 Inc. VAT*





Bottle and Sponge Holder

Size: 265 x 125 x 85mm Code: IG140-697 Price: £52.00 Exc. VAT £62.40 Inc. VAT*






Soap Holder

Size: 125 x 95 x 30mm Code: IG139-697 Price: £25.00 Exc. VAT £30.00 Inc. VAT*





Shower Corner Basket

Size: 275 x 215 x 75mm Code: IG182-697 Price: £57.00 Exc. VAT £68.40 Inc. VAT*





Impey Showers Ltd guarantees its range of branded showering products against faulty materials or manufacture for a lifetime, provided that they have been installed and maintained in accordance with the manufacturer's instructions.

The guarantee extends to non-electrical products in general use and excludes normal wear and tear. For products such as taps, shower valves, bathroom accessories, waterproofing and electrical products, the standard manufacturer's guarantee will apply. Where products included in the Lifetime guarantee are used for commercial use, such as hospitals, nursing homes or hotels, a 5 year guarantee will be applicable.

Parts that are defined as wearing parts, such as seals, seat pads etc, are subject to a 5 year guarantee. If in our opinion the product has been modified, neglected, misused or is the subject of accidental damage the guarantee will not be applicable.

Impey Showers Ltd has a policy of continuous improvement and therefore reserves the right to revise or amend the specification of any product without notice. In situations where a product has failed, and a direct replacement is no longer available, subject to the terms of the guarantee, Impey Showers Ltd will replace it with the nearest equivalent product.

The liability of Impey Showers Ltd does not extend to consequential loss or damage arising from the defective product and is limited to the price of the original goods supplied by Impey Showers Ltd.

The guarantee is in addition to your statutory rights.

Terms and conditions

Please refer to our website for details of our full terms and conditions.



impey

Impey Showers Limited, Conquest Business Park, Ilton, Somerset, TA19 9EA, UK

Sales/Switchboard: + 44 (0)1460 256 080 Technical Helpline: + 44 (0)1460 258 682

Fax: + 44 (0)1460 57605

A Coram Group Company

Due to our policy of continual improvement, we reserve the right to change product specification without notice











revision 04/15